



SCALA1



<http://qr.grundfos.com/i/99735528>

be
think
innovate

GRUNDFOS 



PN8:
Max. 8 bar/0.8 MPa



- Voltage and frequency
- Ambient temperature




Min./Max.
0 °C - + 45 °C/
32 °F - + 113 °F









SCALA1 3-25	10 m / 32 ft
SCALA1 3-35	15 m / 49 ft
SCALA1 3-45	20 m / 65 ft
SCALA1 5-25	10 m / 32 ft
SCALA1 5-55	25 m / 82 ft



- 3-25 Max. 5 bar / 72.5 PSI / 0.5 MPa
- 3-35 Max. 4 bar / 58 PSI / 0.4 MPa
- 3-45 Max. 3 bar / 43.5 PSI / 0.3 MPa
- 5-25 Max. 5 bar / 72.5 PSI / 0.5 MPa
- 5-55 Max. 2 bar / 29 PSI / 0.2 MPa


Max. 8 m / 26 ft














6





7










8







9











SCALA1

Stop

Reset



Off (default)

On

Bluetooth

GRUNDFOS X

<http://qr.grundfos.com/i/99735528>



PN: 99725165 Rp
PN: 99725168 NPT

<http://qr.grundfos.com/i/99735528>